

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- BLACK BORDERS**
- IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- FADED TEXT OR DRAWING**
- BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- SKEWED/SLANTED IMAGES**
- COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- GRAY SCALE DOCUMENTS**
- LINES OR MARKS ON ORIGINAL DOCUMENT**
- REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- OTHER: \_\_\_\_\_**

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

## WEST Search History

[Hide Items](#) [Restore](#) [Clear](#) [Cancel](#)

DATE: Tuesday, September 14, 2004

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<input type="checkbox"/>	L31	L29 and "framework"	11
<input type="checkbox"/>	L30	L29 and "system framework"	1
<input type="checkbox"/>	L29	L28 and "password"	51
<input type="checkbox"/>	L28	L27 and "user name"	59
<input type="checkbox"/>	L27	L25 and "permission"	79
<input type="checkbox"/>	L26	L25 and "permission class"	1
<input type="checkbox"/>	L25	L24 and "user access privilege"	109
<input type="checkbox"/>	L24	L23 and (valid\$5)	6460
<input type="checkbox"/>	L23	"login"	13966
<input type="checkbox"/>	L22	L21 and "permission"	4
<input type="checkbox"/>	L21	L20 and "user access privilege"	9
<input type="checkbox"/>	L20	L2 and "login"	216
<input type="checkbox"/>	L19	L18 and "permission"	5
<input type="checkbox"/>	L18	L17 and "password"	11
<input type="checkbox"/>	L17	L16 and "user name"	12
<input type="checkbox"/>	L16	L15 and "user access privilege"	17
<input type="checkbox"/>	L15	L1 and "login"	581
<input type="checkbox"/>	L14	L13 and "login"	1
<input type="checkbox"/>	L13	Schlumbergersema Telekom.asn.	2771
<input type="checkbox"/>	L12	L11 and "login"	0
<input type="checkbox"/>	L11	Schlumbergersema.asn.	20
<input type="checkbox"/>	L10	L9 and L8	8
<input type="checkbox"/>	L9	L6 and L7	8
<input type="checkbox"/>	L8	Meadows.in.	1225
<input type="checkbox"/>	L7	Markgraf.in.	246
<input type="checkbox"/>	L6	Kappel.in.	698
<input type="checkbox"/>	L5	709/229.ccls.	2004
<input type="checkbox"/>	L4	713/184.ccls.	150
<input type="checkbox"/>	L3	713/183.ccls.	237
<input type="checkbox"/>	L2	713/202.ccls.	994
<input type="checkbox"/>	L1	713/201.ccls.	2927

END OF SEARCH HISTORY

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)[Advanced Search](#)[Preferences](#)

## **Web** Results 1 - 10 of about 44,400 for login system, user access privilege, permission, valid. (0.34 second)

### xp\_logininfo (Transact-SQL Reference (SQL Server))

... name, nchar(128), For **user** accounts with **user privilege**, mapped **login** name shows the mapped **login** name that ... If a **user** has **access** as a **system** administrator and ...

[msdn.microsoft.com/library/en-us/tsqlref/ts\\_xp\\_aa-sz\\_9z3.asp](http://msdn.microsoft.com/library/en-us/tsqlref/ts_xp_aa-sz_9z3.asp) - 16k - Cached - Similar pages

### Chapter 7: User Access Security Policies

... the account will prevent an unauthorized **user** from retrying ... and only at the level of **access** that each ... The **login system** set up by network administrators needs ...

[iasp.soe.purdue.edu/protocol/MAIN\\_DOC/Ch7.htm](http://iasp.soe.purdue.edu/protocol/MAIN_DOC/Ch7.htm) - 29k - Cached - Similar pages

### Administering Users and Security

... package — you can create a single **user** account and **login**. ... **system** that ties into a **sales system** with accounting ... long term makes the database more **user** friendly ...

[www.windowsslibrary.com/Content/77/10/3.html](http://www.windowsslibrary.com/Content/77/10/3.html) - Similar pages

### Microsoft Security with SQL Server

... group on the Domain, containing only the **valid user** accounts, then ... If you remove an operating **system** UserName from a ... is refreshed, the SQL Server **Login ID** will ...

[www.data-based-systems.com/Articles/Microsoft%20Security.htm](http://www.data-based-systems.com/Articles/Microsoft%20Security.htm) - 66k - Cached - Similar pages

### System Administration Guide

... Adding new logins; Locking and **unlocking login** accounts; Creating and granting **user-defined roles**; ... The **System** Security Officer can **access** any database ...

[manuals.sybase.com/onlinebooks/group-as/asg1200e/asesag/@Generic\\_\\_BookTextView/10700](http://manuals.sybase.com/onlinebooks/group-as/asg1200e/asesag/@Generic__BookTextView/10700) - 17k - Cached - Similar pages

### Microsoft SQL Server 2000 Authentication Mechanisms

... Of course, obtaining remote **access** to a **system** running SQL Server does not yet mean ... has no rights to a database until you set up the **login** as a **user** of that ...

[www.windowsecurity.com/articles/SQL\\_Server\\_2000\\_Authentication.html](http://www.windowsecurity.com/articles/SQL_Server_2000_Authentication.html) - 44k - Sep 12, 2004 - Cached - Similar pages

### User management system

Drupal offers a powerful **access system** that allows users to register ... and asks: "Is the password for **user** Joe correct ... So please feel free to **login** to your account ...

[drupal.org/book/print/310](http://drupal.org/book/print/310) - 11k - Cached - Similar pages

### Operating System Security Mechanisms

... **password**. **Login** gate To enter a given operating **system** environment you must provide a **valid login ID** and **user** **password**. Root ...

[publib.boulder.ibm.com/infocenter/pseries/topic/com.ibm.aix.doc/aixbrman/security/nis\\_os\\_sec\\_mechanisms.htm](http://publib.boulder.ibm.com/infocenter/pseries/topic/com.ibm.aix.doc/aixbrman/security/nis_os_sec_mechanisms.htm) - 8k - Cached - Similar pages

### NIS+ Security Mechanisms

... to the operating **system's** file and directory permissions **system**. ... someone who knows another **user's** **login** **password** from ... that runs with root **user permission** on an ...

[publib.boulder.ibm.com/infocenter/pseries/topic/com.ibm.aix.doc/aixbrman/security/nisplus\\_sec\\_mechanisms.htm](http://publib.boulder.ibm.com/infocenter/pseries/topic/com.ibm.aix.doc/aixbrman/security/nisplus_sec_mechanisms.htm) - 11k - Cached - Similar pages

[ More results from publib.boulder.ibm.com ]

## GLOSSARY


... to perform routine maintenance operations of the AIS **system** and to respond to routine **user** requests. ... Read **Access (Privilege) - Permission** to read information ...

<https://ia.gordon.army.mil/iaso/DOD/NCSC-TG-016/glossary.htm> - 16k - Cached - Similar pages

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. Download Now - About Toolbar



[login system, user access privilege,](#) [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google